

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	25	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:26
S4	12037	gardner.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:26
S3	4211	darren.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:26
S2	54791	roy.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:26
S1	29	shaibal.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:26
S8	122	teamon.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:27
S6	23	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:27

EAST Search History

S7	9	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:29
S9	2418	(709/230).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 12:31
S10	95	"protocol interface device"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:47
S16	1632	((choos\$4 select\$4) near2 protocol) same (rank\$4 prefer\$4 order\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:07
S18	194	((((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4)) and ((account user) near5 (data information preferences configuration)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:09
S19	65	((((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4)) and ((account user) near5 (data information preferences configuration)) and (e\$mail "electronic mail" mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:24
S21	3	S20 not S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:28

EAST Search History

S20	34	((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4)) and ((e\$mail "electronic mail" mail) near5 (data information preferences configuration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:28
S23	26	S22 not (S20 S21)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:29
S22	31	((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4)) and (proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:33
S17	420	((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:33
S24	73	((choos\$4 select\$4) near2 protocol) near10 (rank\$4 prefer\$4 order\$4) and (e\$mail "electronic mail" mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:34
S26	2	("6610105").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 15:20
S25	5	S24 not (S19 S20 S22)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:20

EAST Search History

S13	18571	((choos\$4 select\$4) near2 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:21
S29	21	((choos\$4 select\$4) near2 protocol) same (pop and mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:34
S30	5	S29 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:35
S32	1	S31 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S31	8	((choos\$4 select\$4) near2 protocol) same (MAPI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S28	53	((choos\$4 select\$4) near2 protocol) same (POP3 IMAP OWA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S33	44	((determin\$4) near2 protocol) same (POP POP3 IMAP OWA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:44

EAST Search History

S27	105	((choos\$4 select\$4) near2 protocol) same (POP POP3 IMAP OWA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:44
S34	37	S33 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:04
S37	68	S36 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:05
S35	4275	(rank\$4 priorit\$5) near6 (protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:05
S38	12	((rank\$4) near6 (protocol)) same (e\$mail mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:06
S36	76	((rank\$4 priorit\$5) near6 (protocol)) same (e\$mail mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:06
S40	0	S39 not S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:07

EAST Search History

S39	7	((rank\$4) near6 (protocol)) same (pop3 imap mapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:07
S41	1	((priorit\$4) near6 (protocol)) same (pop3 imap mapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:16
S42	37	(server near5 (e\$mail mail) near5 (multiple many) near5 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:32
S44	275	(select\$4 determin\$4 choos\$4) near4 (protocol) near2 (best)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:33
S43	449	(select\$4 determin\$4 choos\$4) near6 (protocol) near6 (best)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:33
S45	34	(select\$4 determin\$4 choos\$4) near (protocol) near (best)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:36
S46	6	((select\$4 determin\$4 choos\$4) with (protocol) with (best)) same (e\$mail mail pop3 imap mapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:38

EAST Search History

S48	38	((compatib\$6) with (protocol) with (best))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:39
S47	1	((compatib\$6) with (protocol) with (best)) same (e\$mail mail pop3 imap mapi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:39
S51	47	S50 and ("455".clas. "370".clas. "709.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:40
S50	221	S49 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:40
S49	331	rank\$4 near5 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:40
S11	110	ranking near5 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:40
S52	7	US-20020019812-\$.DID. OR US-6463427-\$.DID. OR US-20030004955-\$.DID. OR US-20030046366-\$.DID. OR US-20030097410-\$.DID. OR US-6578069-\$.DID. OR US-20030145132-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:46

EAST Search History

S53	4	US-6230193-\$.DID. OR US-20010042100-\$.DID. OR US-20020087628-\$.DID. OR US-20030093565-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:50
S54	4	US-20010043577-\$.DID. OR US-6425057-\$.DID. OR US-20020187777-\$.DID. OR US-6597683-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:54
S55	4	US-6311165-\$.DID. OR US-20010056504-\$.DID. OR US-20020035605-\$.DID. OR US-20030191799-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:55
S56	2	US-6289212-\$.DID. OR US-6356529-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:56
S57	11	US-5802292-\$.DID. OR US-5995503-\$.DID. OR US-6070191-\$.DID. OR US-6421732-\$.DID. OR US-20020112007-\$.DID. OR US-6446114-\$.DID. OR US-20020174194-\$.DID. OR US-6549937-\$.DID. OR US-6557026-\$.DID. OR US-6560222-\$.DID. OR US-6615212-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 17:57
S12	2	("20020183080").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 09:00
L1	29	(weight\$4 near5 protocol) same (e\$mail mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:02
L2	302	(weight\$4 near5 protocol) and (e\$mail mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 09:03

EAST Search History

L4	2	("5848415").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 10:08
L3	273	l2 not l1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:09
L5	12	(("20030072032") or ("2006168071") or ("20040212639") or ("7194252") or ("6195686") or ("7024460")). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 10:18
L7	1834	(weigh\$4 near5 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:22
L6	11	weigh\$4 near5 protocol near10 (e\$mail mail pop3 imap mapi pop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:22
L9	1621	l7 not l8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:23
L8	213	l7 with LDAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:23

EAST Search History

L10	7	I9 same (mail e\$mail pop3 pop mapi imap webdav)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:24
L11	235	I9 and (mail e\$mail pop3 pop mapi imap webdav)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:55
L12	329	e\$mail.clm. and rank\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:56
L15	5	(e\$mail.clm. and select\$3.clm. and protocol.clm.) and teamon.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:57
L14	1303	e\$mail.clm. and select\$3.clm. and protocol.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:57
L13	32	e\$mail.clm. and rank\$3.clm. and protocol.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 11:57
L23	2	("6615212").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 14:27